

ABSTRAK

Latar Belakang: Pneumonia adalah penyakit infeksi pada paru-paru yang disebabkan oleh bakteri, virus maupun jamur. Biasanya infeksi ini menyerang parenkim paru sehingga paru-paru terisi oleh cairan eksudat pada jaringannya. Pada biasanya pneumonia juga disebabkan oleh beberapa bahan kimia dan juga memungkinkan dari terpaparnya suhu radiasi. Dilakukannya pengkajian ini karena bertujuan untuk mempelajari asuhan keperawatan pada pasien pneumonia di RSUD Budhi Asih.

Metode Penulisan: Penelitian ini menggunakan metode studi kasus. Dengan 2 kasus yang sama sebagai subjek penelitian pada pasien pneumonia di ruang Dahlia Barat RSUD Budhi Asih. Metode pengambilan data menggunakan metode wawancara, observasi, pemeriksaan fisik dan dokumentasi. Instrumen yang dilakukan untuk pengambilan data menggunakan format pengkajian asuhan keperawatan sesuai dengan ketentuan yang berlaku di prodi DIII Keperawatan Universitas MH Thamrin. **Hasil:** Hasil yang ditemukan pada saat pengkajian pada pasien 1 dan pasien 2 sama diagnosisnya yaitu bersihan jalan napas tidak efektif, intoleransi aktivitas dan hipertermia. Didapatkan data-data dari masing-masing pasien sama yaitu, mengeluh sesak, batuk berdahak. Setelah dilakukan asuhan keperawatan selama 3x24 jam di dapatkan hasil pada pasien 1 yaitu masalah telah teratasi sesuai dengan tujuan dan kriteria hasil yang telah ditetapkan, namun pada pasien 2 masalah belum teratasi dikarenakan keterbatasan waktu penulis di rumah sakit.

Kesimpulan: Setiap pasien yang mengalami pneumonia memiliki respon yang berbeda beda terhadap masalah. Hal ini dikarenakan kondisi atau status kesehatan dan kemampuan pasien dalam menghadapi masalah. Sehingga perawat dapat melakukan asuhan keperawatan pada setiap pasien dan meningkatkan keterampilan dalam melaksanakan asuhan keperawatan khususnya pada pasien yang mengalami pneumonia.

Kata kunci: Pneumonia, Asuhan keperawatan, Bersihan jalan napas tidak efektif

Daftar Pustaka: XXVI (2015-2025)

Name : Riska Nuryasyfah

NIM : 1031221022

Title : *Nursing Care for Pneumonia Patients with Airway Clearance Disorders No
Effective at Budhi Asih Hospital, East Jakarta*

ABSTRACT

Background: *Pneumonia is an infectious disease of the lungs caused by bacteria, viruses or fungi. Usually this infection attacks the lung parenchyma so that the lungs are filled with exudate fluid in the tissue. Usually pneumonia is also caused by several chemicals and also possible exposure to radiation temperatures. This study was conducted because it aims to study nursing care for pneumonia patients at Budhi Asih Hospital.* **Writing Method:** *This study uses a case study method. With 2 similar cases as research subjects in pneumonia patients in the West Dahlia room of Budhi Asih Hospital. The data collection method uses interview, observation, physical examination and documentation methods. The instruments used for data collection use the nursing care assessment format in accordance with the provisions in force in the DIII Nursing study program, MH Thamrin University.* **Results:** *The results found during the assessment in patients 1 and 2 had the same diagnosis, namely ineffective airway clearance, activity intolerance and hyperthermia. The data obtained from each patient were the same, namely, complaining of shortness of breath, coughing up phlegm. After nursing care for 72 hours, the results obtained in patient 1 were that the problem had been resolved in accordance with the objectives and criteria for the results that had been set, but in patient 2 the problem had not been resolved due to the author's limited time in the hospital.* **Conclusion:** *Every patient who experiences pneumonia has a different response to the problem. This is due to the condition or health status and the patient's ability to deal with the problem. So that nurses can provide nursing care to each patient and improve skills in implementing nursing care, especially in patients with pneumonia.*

Keywords: *Pneumonia, Nursing care, Ineffective airway clearance*

Bibliography: *XXVI (2015-2025)*

