

**Nama** : Tuti Kurniawati  
**NIM** : 1033222054  
**Judul** : Faktor-faktor yang berhubungan dengan penyembuhan luka perineum pada ibu nifas di Poli Kebidanan RS Bhayangkara TK I Pusdokkes Polri Jakarta Timur.

### ABSTRAK

**Latar Belakang** : Penyembuhan luka perineum pada ibu nifas merupakan proses krusial yang mempengaruhi kualitas hidup ibu setelah melahirkan. Faktor-faktor seperti pengetahuan ibu tentang perawatan luka, dukungan keluarga, dan praktik vulva hygiene memainkan peran penting dalam proses penyembuhan. Pengetahuan yang kurang memadai dan praktik kebersihan yang tidak optimal dapat memperlambat penyembuhan dan meningkatkan risiko infeksi. Dukungan keluarga yang kuat juga diperlukan untuk memastikan ibu dapat menjalani perawatan yang tepat, sehingga mempercepat proses penyembuhan.

**Tujuan** : Penelitian ini bertujuan untuk mengetahui Faktor-faktor yang berhubungan dengan penyembuhan luka perineum pada ibu nifas Di Poli Kebidanan RS Bhayangkara TK I Pusdokkes Polri Jakarta Timur.

**Metode** : Penelitian ini penelitian analitik kuantitatif dengan menggunakan pendekatan *cross-sectional*. Fokus penelitian ini adalah waktu pengukuran dan observasi data variabel independen (pengetahuan ibu, dukungan keluarga dan *vulva hygiene*) dan variabel dependen (lama penyembuhan luka perineum). Dengan menggunakan rumus Slovin dengan sampel 102 orang namun saat penelitian hanya mendapatkan 30 orang. Analisis yang digunakan univariat terdiri dari usia, Pendidikan, pekerjaan dan analisis bivariat melihat hubungan antara pengetahuan ibu, dukungan keluarga dan *vulva hygiene* dengan lama penyembuhan luka perineum serta menggunakan uji statistic *Chi-Square*.

**Hasil** : Hasil uji korelasi menggunakan uji statistic *Chi-Square* dengan menunjukkan bahwa nilai  $p\text{-value} = 0,000$  ( $p < 0,05$ ) artinya  $H_0$  di tolak dan  $H_a$  diterima. Maka dapat disimpulkan bahwa terdapat hubungan pengetahuan, dukungan keluarga dan vulva hygiene dengan penyembuhan luka perineum pada ibu nifas.

**Kesimpulan** : Perawat diharapkan meningkatkan penerapan SOP di rumah sakit terkait KIE perawatan pasca persalinan terhadap ibu dan keluarga sebelum pulang.

**Kata Kunci** : Pengetahuan, Dukungan Keluarga, Vulva Hygiene, Luka Perineum

**Daftar Pustaka** : 24 buah (2020 – 2024)

**Name** : Tuti Kurniawati  
**NIM** : 1033222054  
**Title** : *Factors associated with perineal wound healing in postpartum women at the Obstetrics Clinic of Bhayangkara TK I Puskor Polri Hospital, East Jakarta.*

### **ABSTRACT**

**Background** : Perineal wound healing in postpartum women is a crucial process that affects the quality of life of mothers after childbirth. Factors such as maternal knowledge about wound care, family support, and vulval hygiene practices play an important role in the healing process. Inadequate knowledge and suboptimal hygiene practices can slow healing and increase the risk of infection. Strong family support is also needed to ensure the mother can undergo proper care, thus accelerating the healing process.

**Objective** : This study aims to determine the factors associated with perineal wound healing in postpartum women at the Obstetrics Clinic of Bhayangkara TK I Puskor Polri Hospital, East Jakarta.

**Methods** : This study was a quantitative analytical study using a cross-sectional approach. The focus of this study is the time of measurement and observation of data on independent variables (maternal knowledge, family support and vulva hygiene) and the dependent variable (length of perineal wound healing). By using the Slovin formula with a sample of 102 people but during the study only got 30 people. Univariate analysis was used consisting of age, education, occupation and bivariate analysis to see the relationship between maternal knowledge, family support and vulvar hygiene with the duration of perineal wound healing and using the  $\chi^2$ -Square statistical test.

**Results** : The results of the correlation test using the  $\chi^2$ -Square statistical test showed that the  $p$ -value = 0.000 ( $p < 0.05$ ) means that  $H_0$  is rejected and  $H_a$  is accepted. So it can be concluded that there is a relationship between knowledge, family support and vulva hygiene with perineal wound healing in postpartum women.

**Conclusion** : Nurse are expected to increase the implementation of SOPs in hospitals regarding IEC for postnatal care for mothers and families before going home.

**Keywords** : Knowledge, Family Support, Vulvar Hygiene, Perineal Wound

**Bibliography** : 24 pieces (2020 - 2024)